

Model	Power HP	Voltage V	In/Outlet mm	H max m	Q max l/m	Demension (LxWxH) cm	Gross Weight kg
3M32-160/1.5	2	380	60-42	27	360	48x29x40	26
3M32-160/2.2	3	380	60-42	32	410	48x29x41	29
3M32-200/3.0	4	380	60-42	39	410	55x38x47	42
3M32-200/4.0	5.5	380	60-42	54	410	56x38x48	51
3M32-200/5.5	7.5	380	60-42	65	410	65x38x50	59.5

USES AND INSTALLATIONS

3M pump is a kind of multifunctional product with a wide range of application. It could be used to convey various medium including water, industrial liquid with different flow rate and pressure.

Water supply: water transport in waterworks, boosting of main pipeline.



Industrial boosting: process water system, cleaning system, wine-brewing and food system.

Industrial liquid transfer: boiler feed, cooling and air-conditioning system, condensate system, weak acids and weak alkali.

Water treatment: water transfer, swimming pool system.

Farmland irrigation, medical and health, petrochemical, quafarming, etc.

HYDRAULIC PERFORMANCE CURVES



3M-32

Impeller: stainless



Model	Power HP	Voltage V	In/Outlet mm	H max m	Q max l/m	Demension (LxWxH) cm	Gross Weight kg
3M40-125/1.5	2	380	76-49	21	500	49x29x40	26
3M40-125/2.2	3	380	76-49	28	580	48x29x40	30
3M40-125/3.0	4	380	76-49	32	660	56x33x43	37
3M40-160/4.0	5.5	380	76-49	40	660	55x34x45	47
3M40-200/5.5	7.5	380	76-49	48	660	64x38x49	59
3M40-200/7.5	10	380	76-49	52	750	65x38x50	67
3M40-200/11	15	380	76-49	69	750	72x43x57	90

USES AND INSTALLATIONS

3M pump is a kind of multifunctional product with a wide range of application. It could be used to convey various medium including water, industrial liquid with different flow rate and pressure.


Water supply: water transport in waterworks, boosting of main pipeline.
Industrial boosting: process water system, cleaning system, wine-brewing and food system.

Industrial liquid transfer: boiler feed, cooling and air-conditioning system, condensate system, weak acids and weak alkali.

Water treatment: water transfer, swimming pool system.

Farmland irrigation, medical and health, petrochemical, quafarming, etc.

HYDRAULIC PERFORMANCE CURVES



3M-40

Impeller: stainless



Model	Power HP	Voltage V	In/Outlet mm	H max m	Q max l/m	Demension (LxWxH) cm	Gross Weight kg
3M50-125/3.0	4	380	76-60	27	750	55x34x42	37
3M50-125/4.0	5.5	380	76-60	28	910	55x34x43	46.5
3M50-160/5.5	7.5	380	76-60	35	1000	65x38x49	60
3M50-200/7.5	10	380	76-60	42	1000	65x38x51	70
3M50-200/11	15	380	76-60	58	1100	72x43x56	92
3M50-200/15	20	380	76-60	71	1100	71x43x55	106
3M50-200/18.5	25	380	76-60	73	1100	78x44x57	154

USES AND INSTALLATIONS

3M pump is a kind of multifunctional product with a wide range of application. It could be used to convey various medium including water, industrial liquid with different flow rate and pressure.

Water supply: water transport in waterworks, boosting of main pipeline.


Industrial boosting: process water system, cleaning system, wine-brewing and food system.

Industrial liquid transfer: boiler feed, cooling and air-conditioning system, condensate system, weak acids and weak alkali.

Water treatment: water transfer, swimming pool system.

Farmland irrigation, medical and health, petrochemical, quafarming, etc.

HYDRAULIC PERFORMANCE CURVES



3M-50

Impeller: stainless



Model	Power HP	Voltage V	In/Outlet mm	H max m	Q max l/m	Demension (LxWxH) cm	Gross Weight kg
3M65-125/4.0	5.5	380	90-76	21	1500	63x34x48	50
3M65-125/5.5	7.5	380	90-76	26	1900	62x34x45	56
3M65-125/7.5	10	380	90-76	32	2000	62x34x49	66
3M65-160/11	15	380	90-76	40	2000	70x38x50	91
3M65-160/15	20	380	90-76	48	2100	71x38x50	104
3M65-200/18.5	25	380	90-76	60	2100	77x44x57	159
3M65-200/22	30	380	90-76	62	2100	86x44x60	189

USES AND INSTALLATIONS

3M pump is a kind of multifunctional product with a wide range of application. It could be used to convey various medium including water, industrial liquid with different flow rate and pressure.

Water supply: water transport in waterworks, boosting of main pipeline.



Industrial boosting: process water system, cleaning system, wine-brewing and food system.

Industrial liquid transfer: boiler feed, cooling and air-conditioning system, condensate system, weak acids and weak alkali.

Water treatment: water transfer, swimming pool system.

Farmland irrigation, medical and health, petrochemical, quafarming, etc.

HYDRAULIC PERFORMANCE CURVES



3M-65

Impeller: stainless

